NETS 213: CROWDSOURCING AND HUMAN COMPUTATION

An Analytic Framework for Human Computation

Professor Chris Callison-Burch











Classification System for Human Computation

- Motivation
- Quality Control
- Aggregation
- Human Skill
- Process Order
- Task-request Cardinality

Motivation

- How can we motivate people to participate?
- Even with a low barrier to entry (anyone with an computer can contribute) we still need to make a case why they should contribute.

Motivation: Pay

- Easiest way to recruit workers.
- Downside: provides incentive to cheat
- Problem might be exacerbated when the crowd workers are anonymous
- MTurk uses micropayments
- Online temping services provide higher wages: LiveOps, ODesk, etc
- CrowdFlower tried non-monetary payments (virtual goods and currencies, SwagBucks)

Motivation: Altruism

- People want to do good
- When Jim Gray went missing, volunteers searched 500k satellite images
- After the Haitian earthquake, diaspora translated 1000 messages per day



😽 Penn Engineering

Eske lekol kolej marie anne kraze?mesi	Was the College Marie Anne school destroyed? Thank you.
Nou pa ka anpeche moustik yo mo`de nou paske yo anpil.	We can't prevent the mosquitoes from biting because there are so many.
tanpri ke`m ap kase mwen pa ka pran nouvel manmanm.	Please heart is breaking because I have no news of my mother.
4636:OpitalMedesensanFwontie`delmas19l afe`men. Opital sen lwi gonzag nan delma 33 pran an chaj gratwit- man tout moun ki malad ou blese	4636: The Doctors without Borders Hospital in Delmas 19 is closed. The Saint Louis Gonzaga hospital in Delmas 33 is taking in sick and wounded people for free



Motivation: Reputation

- Sometimes people will contribute in order to build their profile within a community
- Example: stackoverflow



50 c#. .net. lina 😽 Penn Engineering

745

c#, java, winforms



c#, asp.net-mvc, asp.net-mvc-

720 sql, sql-server, tsql

Motivation: Enjoyment

- Games with a purpose is a strategy to try to make a task fun
- In the ESP game two players look at an image and try to guess what words the other is thinking
- In doing so they label images on the web





duolingo Home Discussion Immersion Create a profile Spanish progress Choose your path! 2 Beginners start at Basics 1. Advanced learners take a short test. 7 O XP W 0 Words • OR **Basics 1** Placement test Create a profile to save your progress! Create a profile Log in Phrases 0/3 Basics 2 0/4 Follow Duolingo

Food 0/5

Support

😽 Penn Engineering

Plurals 0/1

Animals 0/4

y 90k

g+ 70k

f 300k



Luis Von Ahn

Tom Sawyer



Tom Sawyer (Whitewashing the Fence), 1936



Motivation: Implicit Work

• It is sometimes possible to make people do work alongside some other task







Renn Engineering



😽 Penn Engineering

			Ċ	
			11 matches <>	Q~ staff S Done
Google		<mark>ب</mark> ۹		III 0 🚱
Groups	Add			10 ×
 NETS 213 Course Members All members Direct add memb Outstanding invites Join requests Messages Settings Permissions Roles Information 	 Please use this feature carefully. Only add peen enter email addresses to add as member Yoni Nachmany <yoninachmany@gmail.com< li=""> Separate email addresses with commas. Each pewrite a welcome message Write a welcome message Welcome to the NETS 213 staff mailing list! Email subscription options No email: web-only participation Abridged Email: one summary email Digest Email: up to 25 full new message All Email: send each message as it at </yoninachmany@gmail.com<>	eple you know. Using this feature for sending unwanted email can result in access s >, Jie Gao <jiegao@seas.upenn.edu>, Paul Zuo <pzuo@seas.upenn.edu> erson will Immediately become a member and can start receiving messages.</pzuo@seas.upenn.edu></jiegao@seas.upenn.edu>	count deactivation.	957 characters remaining

Motivation

- Pay
- Altruism
- Reputation
- Enjoyment
- Implicit Work
- Can you think of others?

Quality Control

Even if people are motivated to participate, how do we know that they are doing work conscientiously? Can we trust them not to cheat or sabotage the system?

Even if they are acting in good faith, how do we know that they're doing things right?

Quality Control: Reputation Check

- Mechanical Turk uses a reputation system
- When a Turker submits poor work, Requesters reject it
- The Turker's approval rate is displayed to all other Requesters

QC: Agreement and Redundancy

- The ESP game uses the labels that two players independently agree on
- Similar technique is often used in MTurk, when each item is done independently
- Redundancy allows a voting on ambiuous answers / opinions
- It is also helpful for identifying workers who are consistently divergent

QC: Gold Standard

- In MTurk we commonly mix in questions with a known answer alongside new questions
- This is similar to agreement, but now we check agreement against experts or trusted workers
- For multiple choice questions, gold standard allows for automatic grading

QC: Second-pass review

- Do second-pass grading when gold standard don't allow automatic grading
- Often times the second-pass HIT can be automatically gradable
- This makes the whole pipeline fully automated and ensures high quailty

NEWS PHOTOS STYLE GAMES CELEBS PEOPLE TV ARCHIVE Search

Heather Locklear Arrested for driving under the influence of drugs

HOME



Heather Locklear Photo by: Santa Barbara County Sheriff's Department

SPONSORED LINKS

😽 Penn Engineering

all of a Flat Otamoral

The actress Heather Locklear, Amanda of the popular series Melrose Place, was arrested this weekend in Santa Barbara (California) after driving und influence of drugs. A witnes: viewed her performing inappropriate maneuvers where trying to take her car out fro parking in Montecito, as rev to People magazine by a spokesman for the California Highway Police. The witnes stated that around 4.30pm M Locklear "hit the accelerator violently, making excessive noise while trying to take her car c from the parking with abrupt and forth maneuvers. While reversing, she passed severar times in front of his sunglass Shortly after, the witness, wh a first time, apparently had n recognized the actress, saw Sec.

Why was Heather Locklear arrested?

She was arrested on suspicion of driving under the influence of drugs.

Driving under the influence

Driving while medicated

DUI

Driving while using drugs

Medikamentes

 \mathbf{r}

QC: Defensive task design

- Try to design tasks so that they are nearly as hard to cheat as they are to complete
- For my translation HITs, people frequently would paste text into Google Translate
- I converted the text into images, then people had to transcribe it.

QC: Statistical models

- Sometimes it is possible to have prior knowledge about what the range of expected answers should be
- Use your statistical knowledge to throw out outliers

QC: Economic incentives

- When money is the motivator, it may be possible to use different incentive structures to illicit better results
- Pay people more when they reach a certain level of mastery, or when their output passes second pass reviews
- CastingWords uses bonuses to do this

amazon mechanical turk			Chris Callison-Burch Account	t Settings Sign Out Help
Artificial Artificial Intelligence	Your Account HITs	Qualifications 238,075 HITs available now	5	
	All HITs HITs Availa	able To You HITs Assigned To	You	
		Abot source loss	tor which you	Are qualification
Find Hils F containing	castingwords	that pay at leas		
HITs containing 'castingwords'				
1-10 of 47 Results				
Sort by: Reward Amount (most first) +	0) Show all details	Hide all details		12345 > Next >> Last
			- 101- 4	
Express Transcription: Frank King X-ray #159	143 (195% premium) (avg rwrd+bns	: \$7.60) [13:00 mmss] Not Qu	alified to work on this HIT (Why?	View a HIT in this group
Requester: CastingWords	HIT Expiration Date:	Sep 11, 2013 (56 minutes 15 seco	nos) Reward: \$3.80	
	Time Allotted:	4 hours 30 minutes	HITS Available: 1	J
Express Transcription: Easy #159160 (avg rwn	rd+bns: \$6.3) [21:00 mmss]	Not Qu	alified to work on this HIT (Why?) <u>View a HIT in this group</u>
Requester: CastingWords	HIT Expiration Date:	Sep 11, 2013 (3 hours 58 minute	s) Reward: \$3.15	
	Time Allotted:	5 hours 30 minutes	HITs Available: 1	
Express Transcription: Frank King X-ray #159	143 (195% premium) (avg rwrd+bns	: \$4.68) [08:00 mmss] Not Qu	alified to work on this HIT (Why?) <u>View a HIT in this group</u>
Requester: <u>CastingWords</u>	HIT Expiration Date:	Sep 11, 2013 (56 minutes 13 second	nds) Reward: \$2.34	
l	Time Allotted:	4 hours	HITs Available: 1	J
Express Transcription: Easy #159160 (avg rwn	rd+bns: \$3.9) [13:00 mmss]	Not Qu	alified to work on this HIT (Why?) View a HIT in this group
Requester: CastingWords	HIT Expiration Date:	Sep 11, 2013 (3 hours 58 minute	s) Reward: \$1.95	
	Time Allotted:	4 hours 30 minutes	HITs Available: 1	
Express Transcription: Easy #159160 (avg rwn	rd+bns: \$2.4) [08:00 mmss]	Not Qu	alified to work on this HIT (Why?) <u>View a HIT in this group</u>
Requester: CastingWords	HIT Expiration Date:	Sep 11, 2013 (3 hours 58 minute	s) Reward: \$1.20	
	Time Allotted:	4 hours	HITs Available: 1	ļ
Express Transcription: Easy #159160 (avg rwr	rd+bns: \$1.5) [05:00 mmss]	Not Qu	alified to work on this HIT (Why?) View a HIT in this group
Requester: CastingWords	HIT Expiration Date:	Sep 11, 2013 (3 hours 58 minute	s) Reward: \$0.75	
	Time Allotted:	4 hours	HITs Available: 1	
Express Transcription: Frank King X-ray #159	143 (195% premium) (avg rwrd+bns	: \$1.16) [02:00 mmss] Not Qu	alified to work on this HIT (Why?) <u>View a HIT in this group</u>
Requester: CastingWords	HIT Expiration Date:	Sep 11, 2013 (56 minutes 9 secon	ds) Reward: \$0.58	
	Time Allotted:	3 hours 30 minutes	HITs Available: 1	

🐯 Penn Engineering

Quality Control

- Reputation check
- Agreement and redundancy
- Gold standard + automatic reviewing
- Multi-level review
- Defensive task design
- Statistical filtering
- Economic incentives
- Others?

Aggregation

- Part of the process of human computation is to combine all contributions to solve a global problem.
- The class of problem may determine what strategy is best.

Aggregation: Statistical Data Processing

- In Wisdom of Crowds, Surowiecki argues that aggregating answers from a decentralized, disorganized group of people, all thinking independently yields more accurate answers than from individuals.
- Individual errors need to be uniformly distributed, so individual judgments must be made independently.

Aggregation: Collection

- Voting
- Prediction markets



Aggregation: Collection

- Sometimes aggregation collects discrete facts in a knowledge base
- A contribution may
 - add a new fact
 - improve quality by correcting, refuting, or confirming existing facts



😽 Penn Engineering

Aggregation: Search

- Some human computation paradigms are simply asking people to find something in a large number of images
- Stardust@home project people looked through images of aerogel to find dust from comet's tail gathered by spacecraft



😽 Penn Engineering

Aggregation: Iterative Refinement

- One person's output is shown to the next person, who is asked to improve upon it
- What would Surowiecki say? (WWSS?)

			ф¢.		ŝn (23	N V	MA)	10	1		· , ·	123	2		
lf	а	*festiv	al			Γ	*	two	*m	e			*but		*is	
	ф.		9¢ 9	3¢7.4			t igo	÷ 1						Ċ,	19 m	
		lf				*	wo				lf	Γ				
đ (ġ.ŶŢ	15° 052	, ,	3. S.	Ś.	1	×.			20		15	i Š.	(15 4 -7	
*festiv	al		<u>.</u>			_		<u> </u>						*	festival	

	1	Marij		in the second). N	ų.	6. W	<u> 1</u>	· , ·	2.3	\$ \$		
lf	а	*festiv	al				*two	*m		. *	but	*is		
$\mathcal{L}_{\mathcal{L}}^{\mathcal{L}_{\mathcal{L}}^{\mathcal{L}_{\mathcal{L}}^{\mathcal{L}}}}$	$\sim c$		\$*\$	362%			e đ		*		建定	\$ 19 <u>1</u> 99		
		lf				*two)		lf					
ð. 4	4 17	45° 062	ж, Ж,	8. S.	5		* 3		17 D.		豪恋	\$15¢.75	\$2. }	
			<i>,-</i>				<u> </u>		-194 - F					
*festi Sub	val omit											*festival		
festi Sub terat	val mit tion is	4: 1	V i	is * 1	fes	tival		W *	as *tw wo	70 *	me tv	*festival	*but _	
*festi Sub terat *	val mit tion is fest	4: 7 ival,		is* * T I	fes V	tival	li	W I *1 is*	as *tw woit	70 *	me tv *fe	*festival	*but _	

🐯 Penn Engineering

Aggregation

- Wisdom of Crowds
- Collection
- Search
- Iterative improvement
- Genetic algorithm
- None?
- Other?

Human Skill

"Human Computation is a paradigm for utilizing human processing power to solve problems that computers cannot yet solve."

– Luis von Ahn. Doctoral Thesis, 2005.

Human Skill

- What human skills have we seen so far?
- What others might be used for human computation tasks?

Process order

- Three roles in Human Computation: Requester, Worker, Computer
- Requester is the end user who benefits from the computation
- **Worker** is the person performing the task
- Computer only comes into play when it plays a role in solving the problem (not just aggregating results or being the information channel)

Process Order: CWR

- Computer → Worker → Requester
- In reCAPTCHA:
 - Computer first tries to perform OCR
 - Workers are presented with words that it fails to recognize
 - Their transcriptions are aggregated for the Requester (reader / library)

Process Order: WRC

- Worker → Requester → Computer
- In image labeling games:
 - Players (workers) provide labels
 - Web users (requesters) perform an image search
 - Computer searches the database of labels and presents matches

Process Order: CWRC

- Computer→Worker→Requester→Computer
 - Cyc system has inferred a lot of facts by analyzing text
 - Sends its guesses to FACTory where Workers confirm/correct facts
 - When a user (requester) queries Cyc
 - The Cyc system performs AI inference

Process Order: RW

- Requester → Worker
- Some tasks require no (non-human) computation
- Audio transcription or text dictation
- For small jobs, might not need any sophisticated computer-mediated QC

Task-Request Cardinality

- When a service is powered by human computation, many human workers may produce the result.
- Sometimes, just one or a few workers may suffice. The structure of the problem dictates the cardinality.

Task-Request Cardinality

- One-to-one: ChaCha question answering
- Many-to-many: Image labeling / search
- Many-to-one: Search for Jim Gray
- Few-to-one: VizWiz has a few people respond to each blind person's query

Opportunities for Growth in HComp

- Dimensions: Motivation, Quality Control, Aggregation, Human Skill, Process Order, Task-Request Cardinality
- Consider new pairings of dimensions
- Invent new values for dimensions
- Classify new work and consider variations